EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	"20050008014".pn.	US-PGPUB	OR	ON	2010/12/01 15:28
L3	0	miss$3 near2 call and incoming and outging and red and green and orange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/01 15:51
L4	0	miss$3 near2 call and incoming and outging and red and green and yellow	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/01 15:51
L5	0	miss$3 near2 call and incoming and outging and red and green	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/01 15:51
L6	9	miss$3 near2 call and incoming and outgoing and red and green and orange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/01 15:52
L7	34	miss$3 near2 call and incoming and outgoing and red and green and yellow	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/01 15:52
L8	186	call and incoming and outgoing and red and green and orange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/01 15:53
L11	3	709/244.ccls. and (connect$5 near2 request$3) and (evaluat$3 determin$3 calculat$5 examin$5) with (path link edge) with ((source with destination) (engress ingress)) and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/01 16:42
L12	1	709/244.ccls. and (connect$5 near2 request$3) and ((predetermin$3 pre$determin$3) near2 (path link edge)) and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/01 16:44

L13	55	709/238-244.ccls. and (connect$5 near2 request$3) and (evaluat$3 determin$3 calculat$5 examin$5) with (path link edge) with ((source with destination) (engress ingress)) and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/01 16:46
S1	2450	(370/392,351,352,400.ccls. 709/238,238,241,242.ccls.) and ((path link) near5 (determin$5 estimat$5)) and @ay<="2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 12:30
S2	2	S1 and connection near5 offline	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:29
S3	567	S1 and (message near2 request$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 12:24
S4	49	S3 and (estbalish$3 find$3) near5 route	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 12:32
S5	25	((DEBASIS) near2 (MITRA)).INV.	US-PGPUB; USPAT	OR	ON	2007/10/04 12:33
S6	15	((IRAJ) near2 (SANIEE)).INV.	US-PGPUB; USPAT	OR	ON	2007/10/04 12:34
S7	3	S5 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 12:35
S8	5	(S6 S5) and traffic near2 engineer$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 14:15
S9	4	(370/351,360.ccls.) and request same (traffic near5 (estmat$3 determin$5)) same rout$3 same path and @ay<="2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 14:26
S10	4	(370/351,360.ccls.) and request same (traffic near5 (estmat$3 determin$5)) same rout$3 same path and @ay<="2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 14:27

S11	27	(370/392,351,352,400.ccls. 709/238,238,241,242.ccls.) and request same (traffic near5 (estimat$3 determin $5)) same rout$3 same path and @ay<="2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 07:54
S12	1	"614738".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:30
S13	2450	(370/392,351,352,400.ccls. 709/238,238,241,242.ccls.) and ((path link) near5 (determin$5 estimat$5)) and @ay<="2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 13:55
S14	103	S13 and (network near2 topology) same ((link adj state) (link-state))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 07:58
S15	0	S14 and (demand near2 estimat$5) same (histor$3 statistic$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 08:00
S16	0	S13 and (demand near2 estimat$5) same (histor$3 statistic$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 08:00
S17	0	S14 and (traffic near5 (estimat$5 determin$5)) same (histor$3 statistic$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 08:03
S18	5	S14 and (traffic near5 (estimat$5 determin$5)) and (histor$3 statistic$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 15:55
S19	2	S14 and (traffic near5 (estimat$5 determin$5)) same ((previous$2 passed) near4 measur$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 12:42

S20	12	S14 and (predetermin$5 near2 path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 12:44
S21	1	S14 and ((sav$3 stor$3) near5 (predetermin$5 near2 path))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/05 12:45
S22	3	((path link) near5 (determin$5 estimat$5)) and CSPF and (network near2 topology) and prun$3 and @ay<="2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 08:04
S23	6	((path link rout$3) near5 (determin$5 estimat$5)) and CSPF and prun$3 and @ay<="2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 08:59
S24	6	((measur$5 determin$3) near5 (load$3 traffic)) and CSPF and prun$3 and @ay<="2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 09:12
S25	12	((measur$5 determin$3) near5 (load$3 traffic)) and (prun$3 near5 bandwidth) and @ay<="2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 09:13
S26	1	(370/351,352,400,230,230.1.ccls. 709/238,239,241,242.ccls.) and ((path link) near5 (determin$5 estimat$5)) and ((maximum maximiz$5) near demand) same (traffic near5 estimat$4) and @ay<="2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 16:14
S27	1	(370/351,352,400,230,230.1.ccls. 709/238,239,241,242.ccls.) and ((path link) near5 (determin$5 estimat$5)) and ((maximum maximiz$5) near5 demand) same (traffic near5 estimat$4) and @ay<="2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 16:02
S28	1	(370/351,352,400,230,230.1.ccls. 709/238,239,241,242.ccls.) and ((maximum maximiz$5) near demand) same (traffic near5 estimat$4) and @ay<="2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/09 16:15

S29	7	(370/351,352,400,230,230.1.ccls. 709/238,239,241,242.ccls.) and (iterat$3 near5 (OSPF CSPF ("shortest path")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 11:03
S30	177	(370/351,352,400,230,230.1.ccls. 709/238,239,241,242.ccls.) and (OSPF CSPF ("shortest path")) same bandwidth and @ay<="2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 16:06
S31	13	S30 and (first near5 bandwidth) same (second near5 bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 11:07
S32	2	S30 and (refus$3 near5 connection)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/10 16:06
S33	2	"6895441".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 09:03
S34	2	"6956821".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/18 13:44
S35	789	(path link) with maxim$5 with (demand $3 request$3) and ("370"/$.ccls. "455"/$. ccls. "709"/$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 14:17
S36	2	"20030147400".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 14:19
S37	1	S35 and (measur$3 near5 load) with source	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 14:54

S38	19	S35 and (measur$3 near5 load)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 14:54
S39	10	S38 and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 14:57
S40	40	(370/351,352,400,230,230.1.ccls. 709/238,239,241,242.ccls.) and ((path link) near5 (determin$5 estimat$5 select $5) with dynamic$4) and ((traffic load) near5 (estimat$4 calculat$5)) and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 02:32
S41	0	S40 and SPF	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 02:33
S42	23	S40 and (shortest near2 path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/01 02:33
S43	28	((DEBASIS) near2 (MITRA)).INV.	US-PGPUB; USPAT	OR	ON	2009/05/15 22:42
S44	21	((IRAJ) near2 (SANIEE)).INV.	US-PGPUB; USPAT	OR	ON	2009/05/15 22:42
S45	4	S43 and S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/15 22:42
S46	9	ospf same "physical distance"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/15 23:04
S47	8	S46 and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/15 23:04
S48	2	09/266622	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/15 23:23

S49	1	(measur$3 near5 load) with source with (path near4 (choos$3 select$5 determin $5)) and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 12:41
S50	0	(measur$3 near5 load%3) with source and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 12:42
S51	1437	((measur$3 calcualt$5 estimat$5) near5 load$3) with source and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 12:43
S52	4	((measur$3 calcualt$5 estimat$5) near5 load) with source with (path near4 (choos $3 select$5 determin$5)) and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/12 12:43
S53	28	((DEBASIS) near2 (MITRA)).INV.	US-PGPUB; USPAT	OR	ON	2009/11/13 15:28
S54	24	S53 and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 15:29
S55	0	S54 and "CSPF_TR"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 15:29
S56	0	S53 and "CSPF_TR"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 15:29
S57	1	S54 and CSPF adj2 tr	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 15:30
S58	1	CSPF adj2 tr and (trunk$3 adj reservation) and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 16:26

S59	1	CSPF adj2 tr and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 16:27
S60	1	CSPF with (trunk$3 adj reservation) and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 16:27
S61	262	(CSPF ospf spf) and bandwidth same (min minimum shortest) adj2 (length path) and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 17:17
S62	0	S61 and ((prun$3 delet$3) near2 (path length)) with bandwidth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 17:19
S63	20	S61 and ((prun$3 delet$3) near2 (path length))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 17:20
S64	1	S61 and ((prun$3 delet$3) near2 (path length)) same bandwidth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/13 17:20
S65	3	(maxim$7 near3 demand$3) with traffic same path same node and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/19 21:25
S66	2	"7324453".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/20 10:51
S67	2	"20040218525".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/20 11:06

S68	1	(maxim$7 near3 demand$3) with traffic and (connection adj request$3) with path and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/20 11:13
S69	14	((maxim$7 increas$3) near3 demand$3) with traffic and (connection adj request $3) with path and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/20 11:14
S70	12	(connection adj request$3) with (predetermin$3 near2 path) and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/20 11:36
S71	1	S70 and prun$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/20 11:42
S72	2	"20010029543".pn. and connection adj request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/20 13:55
S73	1	"20010029543".pn. and (connection adj request$3) with (predetermin$3 near2 path) and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/20 13:55
S74	0	S73 and (load near5 calcolat$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/20 13:59
S75	27	(determin$3 calculat$5) with path same source same (load$3 near2 (measur$4 calculat$5 estimat$5 evaluat$3)) and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/20 15:44
S76	22	predetermin$3 near4 (link path) with select$3 with source with destination and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 11:24

S77	0	S76 and source with measur$3 with load	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 11:25
S78	2	S76 and measur$5 with load	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 11:25
S79	6	offline near2 (te "traffic engineer")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 17:08
S80	17	"traffic engineer" and (path link) with optimiz$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 17:26
S81	533	traffic near2 engineer$3 and (path link) with optimiz$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 17:27
S82	520	traffic adj2 engineer$3 and (path link) with optimiz$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 17:27
S83	16	offline near2 (te "traffic engineering")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 17:27
S84	13	offline near2 (te "traffic engineering") and "traffic engineering"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 17:27
S85	8	S84 and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 17:28

S86	30	(connection adj request$3) same ((predetermin$3 pre$determin$3) near2 (path link)) and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 17:41
S87	1	S86 and source with measur$3 with load	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 17:42
S88	25	S86 and (path link) with (select$5 choos $3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 17:54
S89	6	S86 and (path link) with (select$5 choos $3) with ((predetermin$3 pre$determin $3) near2 (path link))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 17:54
S90	6	design adj bas$3 adj rout$3 and source and destination and (path link) and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 21:07
S91	1022	(offline (off adj line)) and (connection near2 request$3) and (path link) and (source with destination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 21:12
S92	510	S91 and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 21:12
S93	36	S92 and (traffic with demand) with (determin$3 calculat$5 estimat$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 21:14
S94	87	(offline (off adj line)) same (connection near2 request$3) and (path link) and (source with destination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 21:31

S95	7	(offline (off adj line)) same (connection near2 request$3) same (path link) and (source with destination)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 21:32
S96	1	"20050008014".pn. and (measur$5 with load$3)	US-PGPUB	OR	ON	2010/11/29 21:46
S97	1	(offline (off adj line)) same (load$3 with measur$6) same (path link) with ((source with destination) (engress ingress)) and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 22:17
S98	4	(offline (off adj line)) and (load$3 with measur$6) same (path link) with ((source with destination) (engress ingress)) and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 22:17
S99	3	(central near2 manage$4) and (load$3 with measur$6) same (path link) with ((source with destination) (engress ingress)) and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 22:24
S100	6	(central near2 manage$4) same (connection near2 request$3) same (path link) and ((source with destination) (engress ingress)) and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/29 22:43
S101	2	(connection adj request$3) same ((predetermin$3 pre$determin$3) near2 (path link)) with ((source with destination) (engress ingress)) and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/30 13:24
S102	21	(connection adj request$3) and ((predetermin$3 pre$determin$3) near2 (path link)) with ((source with destination) (engress ingress)) and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/30 13:27
S103	6	(connection adj request$3) and (evaluat$3 determin$3 calculat$5 examin$5) with ((predetermin$3 pre$determin$3) near2 (path link)) with ((source with destination) (engress ingress)) and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/30 13:30
S104	6	(connection adj request$3) and (evaluat$3 determin$3 calculat$5 examin$5) with ((predetermin$3 pre$determin$3) near2 (path link edge)) with ((source with destination) (engress ingress)) and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/30 13:31

S105	26	(evaluat$3 determin$3 calculat$5 examin$5) with ((predetermin$3 pre$determin$3) near2 (path link edge)) with ((source with destination) (engress ingress)) and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/30 13:32
S106	15	S105 and request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/30 13:33
S107	7	(network near2 manage$4) with (connect$5 near2 request$3) and (evaluat$3 determin$3 calculat$5 examin$5) with (path link edge) with ((source with destination) (engress ingress)) and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/30 13:44
S108	6	(network near2 manage$4) with (connect$5 near2 request$3) same (path link edge) with ((source with destination) (engress ingress)) and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/30 14:08
S109	6	((network near2 manage$4) NAM) with (connect$5 near2 request$3) same (path link edge) with ((source with destination) (engress ingress)) and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/30 14:18
S110	16	((network near2 manage$4) NAM) with (connect$5 with request$3) same (path link edge) with ((source with destination) (engress ingress)) and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/30 14:19
S111	0	((network near2 manage$4) NAM) with (connect$5 with request$3) and measur$5 with load with source and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/30 18:51
S112	0	(((network central$5) near2 manage$4) NAM) with (connect$5 with request$3) and measur$5 with load with source and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/30 18:52
S113	29	(((network central$5) near2 manage$4) NAM) with (connect$5 with request$3) and measur$5 with load and (@ad<="20030707" @ad<="20030707")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/30 18:53

| S114 | 5 | (((network central$5) near2 manage$4) NAM) with (connect$5 near2 request$3) and measur$5 with load and (@ad<="20030707" @ad<="20030707") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/11/30 18:53 |

12/1/2010 5:16:44 PM
C:\Documents and Settings\akasraian\My Documents\EAST\Workspaces\10614738_management_07.wsp